

DENIMCOL SPEC LSR

Characterization	Natural and fading laser effect
Supplied Form	Light brown liquid
Ionic character	Anionic
pH Value of 10% Solution	Approx. 2
Stability	The product is not sensitive to frost.

Properties

DENIMCOL SPEC LSR provides natural and fading effects after laser application in garment products.

Before applying on all types of fabric, it must be tested and the result must be checked.

Application technique

Recommendation for Use

Sprey application:

400 – 600 g/l	DENIMCOL SPEC LSR
40 – 70 cc	Sprey application
20 min. drying at air or 10 min. drying at 50 ° C	

Washing application:

20 g/l	DENIMCOL SPEC LSR
20 – 40 °C	2 – 5 min running
	drain
	extract
	drying

We reserve the right to modify the product and technical leaflet.

Our department for applied technique is always at your service for further information and advice.

Our technical advice and recommendations given verbally, in writing or by trials are believed to be correct. They are neither binding with regard to possible rights of third parties nor do they exempt you from your task of examining the suitability of our products for the intended use. We cannot accept any responsibility for application and processing methods which are beyond our control.

Edition: July, 2024

CHT GERMANY GMBH, P.O. Box 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany

Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, homepage: www.cht.com

CHT TURKEY KİMYA SAN. VE TİC.A.Ş., Akçaburgaz Mah. 3118. Sok. No:2 Esenyurt/İstanbul, Tel: +90 212 886 79 13, Fax:+90 212 886 93 47,

Email: info.turkey@cht.com